

NORDIC EVOTECH CVT FLUID

Automatic Transmission Fluid

NORDIC EVOTECH CVT FLUID is a fully synthetic ultra-high performance CVT fluid formulated with selected base stocks and specially developed for use in the latest generation of Continuously Variable Transmission (CVT) – gearboxes which transfer traction via steel-made traction chain or push-belts.

NORDIC EVOTECH CVT FLUID is formulated on high refined synthetic base stock in combination with an unique additive package to reach the following properties.

- Good thermo-and oxidation.
- Extended drain interval possible.
- Excellent antiwear, antirust and anticorrosion technology.
- High Viscosity index ensures adequate lubrication in both high operating & low starting temperatures.
- Better foam control leads to smooth & lasting shift feel and reduces fluid loss.
- Enhanced Low temperature fluidity assist in good cold start performance.
- Compatibility with all common seal materials

NORDIC EVOTECH CVT FLUID exceeds the following performance criteria:

Toyota CVTF TC
Nissan NS-3
Mitsubishi CVTF-J1
Suzuki CVTF Green 1
Ford WSS-M2C928

Toyota CVTF FE
Honda HMMF
Subaru ECVT
Hyundai SP-III
MB 236.20

Nissan NS-1
Honda HCF2
Subaru iCVT
EZL 799

Nissan NS-2
Mitsubishi SP-III
Daihatsu Ammix CVT
Chrysler/Jeep NS-2

Typical Analysis

Properties	Unit	Method	Typical Value
Color			Amber
Density @15°C	kg/m ³	ASTM D4052	847
Kin. Viscosity @40°C	mm ² /s	ASTM D7042	35
Kin. Viscosity @100°C	mm ² /s	ASTM D7042	7,3
Viscosity Index		ASTM D2270	185
Flash Point COC	°C	ASTM D92	>210
Pour Point	°C	ASTM D97	-48

Date Issued: 24-04-2021

Supersedes:

Revision Nr.: 1

Nordic Lube ApS, Udsigten 19, 3500 Værleose, Denmark

www.nordic-lube.com